

Thank you for choosing GEARGRID Mobile Lockers. GEARGRID is committed to high product quality and your complete satisfaction.

Please read this manual before you start installation. Call us at 888-643-6694 if you encounter any installation or product performance problems.

Installation Preparation:

- Open and remove contents from all boxes
- Check all parts against the parts list
- Organize parts by type
- Locate a clear, level floor to assemble the lockers
- Lay the shipping carton cardboard on the floor and assemble the unit on it to protect the unit from floor damage during assembly.

NOTE: *Two person assembly and mounting is required*



Tools Required:

- Rubber mallet
- Ratchet wrench with 7/16" socket
- 1/8" allen wrench

Warranty

GEARGRID Wall Mount Lockers are guaranteed to be free of material and workmanship defects for ten full years from the date of purchase.

GEARGRID guarantees to repair or replace defective materials, without charge. To file a claim call our Customer Service department at 888-643-6694. If product return is necessary your Customer Service representative will authorize the return and make arrangements to replace the defective parts.

NEW WARRANTY TO COME

This is your sole GEARGRID warranty. GEARGRID disclaims all other warranties, including the warranty of merchantability and fitness for a particular purpose, as well as all liability for incidental, consequential, special and indirect damage. GEARGRID liability shall be limited to the amount you paid for the product under warranty. GEARGRID reserves the right to make product changes without obligation to incorporate such changes into products previously sold.

Some states do not allow the exclusion or limitation of damages or warranties, so the above may not apply to you. This warranty gives you specific legal rights. You may also have other rights which may vary from state to state.

Parts List


(Exploded parts CAD drawing with part names)

Mobile Locker Assembly

Step 1: Stand the Locker Divider Panels parallel to each other on the cardboard.



Step 2: The top and bottom horizontal connection tubes have several u-channel “spuds” (one for each Locker Divider Panel) on it. Place a machine screw with flat washer in the hole in each spud and thread a “v-nut” on the end of the screw. Tighten just enough to keep “v-nut” in place.



Step 3: Lay the Locker Back Panels on the cardboard between each of the Locker Divider Panels. The GEARGRID logo is on the inside top of the panel.



Step 4: Insert the wire extensions of the Locker Back Panels into the holes of the Locker Divider Panels.



Step 5: Position the top horizontal connection tube at the top of the assembly and use a rubber mallet to drive the channel spuds into the Locker Divider Panel tubes. Use a rubber mallet to pound them into the tubes. Tighten the machine screws with a 7/16” socket wrench.

IMPORTANT: Do not over tighten.



Step 6: Repeat Step 5 and install the bottom, base locker support unit with casters.




Step 7: Install the casters and secure them in place with the 1/8" allen screws provided.



Step 8: Turn the full assembled unit upright.

NOTE: If your locker system was purchased with optional Secure Doors, the right side end divider will have hinges mounted on it. The left side end divider will have a mounted hasp. All interior dividers have both hinges and a hasp. See Secure Door installation at the end of these installation instructions.

Step 9: Install top and bottom shelves. Install the shelf with the nameplate holder at the top of the locker. Install the bottom shelf at the bottom of the locker.



IMPORTANT: The shelf mounting hooks are staggered so that all shelves can be mounted at the same height. The front left shelf hooks go behind the second vertical locker divider wire. The front right shelf hooks go in front of the second vertical divider wire.

Step 10: Install the apparel "snap-on" hooks under the top shelf on the side panel wire grids.

Optional Secure Door Mounting


Step 1: Install a latch assembly on each door using two button head hex screws and a 5/32" allen head wrench



Step 2: Install a brass washer on top of each of the three divider hinge pins

Step 3: Install the doors by lowering the door hinges onto the hinge pins

GEARGRID Wall Locker Accessory Installation



GEARDRYER™

This stainless steel hanger holds a jacket open to speed drying and protect its shape.



TOP-SIDE STORAGE™

The Top-Side Storage rack lets you store additional gear on top of your lockers. Not for use with Secure Door option.



GEAR GLOVE™

The stainless steel GearGlove rack clips to the locker divider panel and helps gloves hold their shape while drying.



GLOVE RACK

The Glove Rack is a handy rack for holding a box of disposable gloves. Holds most standard glove packages. Dimensions: 9.5" w x 5" h x 3 5/8" h.



HEAVY HANGER

Constructed of 1/4" stainless steel, this is the strongest traditional shape hanger you'll find anywhere.



STOW-AWAY SEAT™

The unique design, Stow-Away Seat folds into the locker for storage. 250 lb capacity.




BINDER RACK

The Binder Rack provides quick and easy access for training manuals and whatever you need to keep handy.



SECUREBOX™

The pad-lockable, powder coated aluminum SecureBox provides a secure location for personal items and features a convenient mail slot in the door.



BACKBOARD RACK

The durable Backboard rack is adjustable in 3" increments and holds up to 5 backboards per locker. Includes heavy duty Velcro straps to hold boards in place.

GEARGRID Wall Locker Accessory Installation (cont.)



GEARHANGER™

This stainless steel, horizontal hanging rod provides added locker organization.



HELMET HOLDER™

Protect ratcheting headgear with this powder coated accessory. Not for use with SecureDoor or Top-Side Storage Shelf.